AVITASA

NUTRACEUTICAL EFFICIENCY

ACIDFEED L70

(LIQUID ORGANIC ACIDS)



- Water Acidification
- Inhabit pathogenic bacteria
- Enhance gut health

ACIDFEED L70

ANTIMICROBIAL AGENT + INTESTINAL HEALTH PROMOTER

AVITASA

NUTRACEUTICAL EFFICIENCY



Product data sheet

ACIDFEED

ACIDFEED L70

DESCRIPTION:
Acidfeed L70 is smart combination of short-chain, medium-chain fatty acids and copper. It is the key to overcome bacterial challenges from both Gram-negative and Gram-positive bacteria.

USE:

Product to b e used exclusively in animal feeding.

PHYSICAL ASPECT:

Colourless liquid, light acid smell.

COMPOSITION:

Each Litre Contain

Formic Acid	300,000mg
Propionic Acid	100,000mg
Butyric Acid	100,000mg
Phosphoric Acid	90,000mg
Citric Acid	50,000mg
Lauric Acid	20,000mg
Lactic Acid	10,000mg
Copper Sulphate	30,000mg

CARACTHERISTICS:

- Active ingredient: 70% of active ingr.
- Density: 700 grs/l, approximately
- pH (solution at 1%) 2 - 4

SELFLIFE:

Two year as from manufacturing date.

STORAGE:

Store in a fresh, dry, protected from light place. Keep closed after each use.

RECOMMENDED DOSAGE:

SPECIES	PERIOD	RECOMMENDED DOSAGE
BROILERS	From 0 to 15 days of life	0,5-1 cc/ltr
	More than 10 days of life	0,25-1 cc/ltr
LAYERS	From 0 to 15 days of life	0,5-1 cc/ltr
	+15 days of life	0,25-1 cc/ltr
	+35 weeks of life	0,25-0,5 cc/ltr
BREEDER	From 0 to 15 days of life	0,5-1 cc/ltr
	+15 days of life	0,25-1 cc/ltr
	+35 weeks of life	0,25-0,5 cc/ltr



www.avitasa.com

FAMI QS

Carrer Granit, 13,
Polígon Industrial Riu Clar
43006 Tarragona, Spain
+34 977 296 505
Reg. aESP43100164

AVITASA

NUTRACEUTICAL EFFICIENCY

ACIDFEED L70



ACIDFEED L70

Short-and medium-chain fatty acids (SCFAs and MCFAs) in poultry are used as feed additives that benefit gut health, improve feed efficiency, and boost growth performance by providing antimicrobial effects. They are beneficial because they can help to control pathogens like E.coli, Salmonella, Mycoplasma and Clostridia, improve intestinal integrity, enhance the immune response, and acting as an alternative to antibiotic growth promoters.

This action implies an improvement in intestinal absorptive capacity with better utilization of feed nutrients (minerals, vitamins, amino acids, energy availability, etc.).

These two actions, one against the intestinal pathogenic micro flora and one on the intestinal absorptive capacity, improves the animal's daily growth rate and feed conversion rate. The problem with feeding organic acids is its rapid dissociation that occurs when in contact with the digestive fluids, which reduces their effectiveness. Salt form of formic and propionic acid and lauric acid glyceride keep its activity without dissociating, thus their effectiveness remains in their transit through the gastrointestinal tract.



Short and medium-chain fatty acids (SCFAs and MCFAs)

Antimicrobial effects: They have broad-spectrum activity against bacteria like E.coli, Salmonella, Mycoplasma and Clostridia. MCFAs are especially effective due to their ability to penetrate bacterial cell walls and disrupt their membranes.

Antiviral effect: Lauric acid glycerides have demonstrated the ability to fight against pathogens and viruses.

Improved gut health: SCFAs and MCFAs contribute to the health and integrity of the intestinal lining. Their use can lead to better intestinal morphology, such as increased villus height.

Immune system support: Studies show that lauric acid glycerides can boost the immune response, for example, by increasing antibody titers against a virus in poultry.

Energy source: MCFAs are rapidly and efficiently absorbed and metabolized, providing an energy source for the bird.(Lauric Acid)

Common SCFAs include formic and propionic acid, while MCFAs include lauric acid.

Copper

Gut health: It improves gut health and modify the gut microbiota in favor of beneficial bacteria.

Immune function: It helps maintain defenses that can be impaired by mycotoxins.

Antioxidant enzymes: Copper is involved in antioxidant defense against oxidative stress.

Gut integrity: Adequate copper help to maintain intestinal function.

FAMI QS

www.avitasa.com

Carrer Granit, 13,
Polígon Industrial Riu Clar
43006 Tarragona, Spain
+34 977 296 505
Reg. αESP43100164

AVITASA

NUTRACEUTICAL EFFICIENCY



ACIDFEED L70

Synergic impact of SCFAs, MCFAs and Copper

- Antimicrobial effect
- Antiviral effect
- Stimulate immune system
- Stimulates appetite.
- Enhance feed consumption and growth, and improves feed conversion rates.
- Inhibits pathologic bacterial growth and keeps healthy digestive tract and get optimal nutrient assimilation.
- In the intestine is the immediate energy source for intestinal epithelial cells. It means immediate energy for enterocytes.
- Increases epithelial regeneration and the size of intestinal microvilli, also increases the absorptive surface and therefore its performance.
- Stimulates the regeneration of micro-biota.
- Bigger development of gastrointestinal cells which allows for absorption of nutrients and produces a growth-promoting effect.
- Stimulate digestive enzyme secretion.
- Enhance respiratory health of bird.
- Stimulates water, sodium and calcium absorption

PACKAGING:

25 Litre
Cane

NutriAgrow

204 A, Dream Gardens,
Off Defence Road, Lahore, Pakistan.
Cell: : +92 346 4645 879
: +92 300 4126 303
E-mail : info@nutriagrow.com
Web : www.nutriagrow.com

www.avitasa.com

FAMI QS

Carrer Granit, 13,
Polígon Industrial Riu Clar
43006 Tarragona, Spain
+34 977 296 505
Reg. αESP43100164